

平成23年度 健康診断結果表

表1 健康診断の受診者数

	男	女	総数
平成23年度	13246	19899	33145

(人)

表2 血圧検査結果

15～29歳男女別計													
最高血圧 mmHg	受診者数	最低血圧mmHg											
		～79	%	80～84	%	85～89	%	90～99	%	100～109	%	110～	%
180～ (M)	0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
180～ (F)	0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
160～179 (M)	6	0	0.0	1	16.7	1	16.7	3	50.0	1	16.7	0	0.0
160～179 (F)	1	0	0.0	0	0.0	0	0.0	1	100.0	0	0.0	0	0.0
140～159 (M)	47	10	21.3	17	36.2	8	17.0	9	19.1	2	4.3	1	2.1
140～159 (F)	9	3	33.3	1	11.1	1	11.1	3	33.3	1	11.1	0	0.0
130～139 (M)	147	113	76.9	20	13.6	12	8.2	2	1.4	0	0.0	0	0.0
130～139 (F)	21	11	52.4	5	23.8	3	14.3	2	9.5	0	0.0	0	0.0
120～129 (M)	366	337	92.1	24	6.6	4	1.1	1	0.3	0	0.0	0	0.0
120～129 (F)	114	101	88.6	9	7.9	3	2.6	1	0.9	0	0.0	0	0.0
～119 (M)	785	778	99.1	5	0.6	2	0.3	0	0.0	0	0.0	0	0.0
～119 (F)	1393	1386	99.5	4	0.3	3	0.2	0	0.0	0	0.0	0	0.0
男合計	1351	1238	91.6	67	5.0	27	2.0	15	1.1	3	0.2	1	0.1
女合計	1538	1501	97.6	19	1.2	10	0.7	7	0.5	1	0.1	0	0.0
合計	2889	2739	94.8	86	3.0	37	1.3	22	0.8	4	0.1	1	0.0

30～39歳男女別計													
最高血圧 mmHg	受診者数	最低血圧mmHg											
		～79	%	80～84	%	85～89	%	90～99	%	100～109	%	110～	%
180～ (M)	1	0	0.0	0	0.0	0	0.0	1	100.0	0	0.0	0	0.0
180～ (F)	1	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0
160～179 (M)	16	2	12.5	0	0.0	0	0.0	4	25.0	5	31.3	5	31.3
160～179 (F)	13	0	0.0	1	7.7	0	0.0	1	7.7	8	61.5	3	23.1
140～159 (M)	125	12	9.6	20	16.0	30	24.0	44	35.2	17	13.6	2	1.6
140～159 (F)	38	2	5.3	3	7.9	7	18.4	22	57.9	4	10.5	0	0.0
130～139 (M)	280	144	51.4	62	22.1	44	15.7	29	10.4	1	0.4	0	0.0
130～139 (F)	75	34	45.3	14	18.7	16	21.3	11	14.7	0	0.0	0	0.0
120～129 (M)	598	474	79.3	100	16.7	18	3.0	6	1.0	0	0.0	0	0.0
120～129 (F)	251	190	75.7	47	18.7	10	4.0	4	1.6	0	0.0	0	0.0
～119 (M)	1413	1376	97.4	30	2.1	6	0.4	1	0.1	0	0.0	0	0.0
～119 (F)	2713	2672	98.5	32	1.2	8	0.3	1	0.0	0	0.0	0	0.0
男合計	2433	2008	82.5	212	8.7	98	4.0	85	3.5	23	0.9	7	0.3
女合計	3091	2898	93.8	97	3.1	41	1.3	39	1.3	12	0.4	4	0.1
合計	5524	4906	88.8	309	5.6	139	2.5	124	2.2	35	0.6	11	0.2

40～49歳男女別計

最高血圧 mmHg	受診者数	最低血圧mmHg											
		～79	%	80～84	%	85～89	%	90～99	%	100～109	%	110～	%
180～（M）	4	0	0.0	0	0.0	0	0.0	0	0.0	1	25.0	3	75.0
180～（F）	6	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	6	100.0
160～179（M）	56	0	0.0	1	1.8	1	1.8	12	21.4	18	32.1	24	42.9
160～179（F）	30	2	6.7	1	3.3	1	3.3	8	26.7	16	53.3	2	6.7
140～159（M）	241	8	3.3	22	9.1	46	19.1	101	41.9	58	24.1	6	2.5
140～159（F）	160	18	11.3	24	15.0	35	21.9	63	39.4	19	11.9	1	0.6
130～139（M）	450	117	26.0	122	27.1	98	21.8	105	23.3	7	1.6	1	0.2
130～139（F）	260	108	41.5	69	26.5	55	21.2	25	9.6	3	1.2	0	0.0
120～129（M）	751	476	63.4	146	19.4	97	12.9	32	4.3	0	0.0	0	0.0
120～129（F）	593	433	73.0	99	16.7	47	7.9	14	2.4	0	0.0	0	0.0
～119（M）	1705	1610	94.4	75	4.4	18	1.1	1	0.1	1	0.1	0	0.0
～119（F）	3453	3397	98.4	46	1.3	10	0.3	0	0.0	0	0.0	0	0.0
男合計	3207	2211	68.9	366	11.4	260	8.1	251	7.8	85	2.7	34	1.1
女合計	4502	3958	87.9	239	5.3	148	3.3	110	2.4	38	0.8	9	0.2
合計	7709	6169	80.0	605	7.8	408	5.3	361	4.7	123	1.6	43	0.6

50～59歳男女別計

最高血圧 mmHg	受診者数	最低血圧mmHg											
		～79	%	80～84	%	85～89	%	90～99	%	100～109	%	110～	%
180～（M）	10	0	0.0	0	0.0	1	0.0	1	10.0	4	40.0	4	40.0
180～（F）	11	0	0.0	1	9.1	1	9.1	2	18.2	3	27.3	4	36.4
160～179（M）	68	1	1.5	4	5.9	1	1.5	18	26.5	30	44.1	14	20.6
160～179（F）	54	1	1.9	3	5.6	13	24.1	16	29.6	13	24.1	8	14.8
140～159（M）	360	19	5.3	34	9.4	82	22.8	161	44.7	58	16.1	6	1.7
140～159（F）	216	37	17.1	37	17.1	46	21.3	76	35.2	18	8.3	2	0.9
130～139（M）	540	108	20.0	133	24.6	151	28.0	134	24.8	13	2.4	1	0.2
130～139（F）	360	144	40.0	86	23.9	75	20.8	52	14.4	3	0.8	0	0.0
120～129（M）	739	378	51.2	232	31.4	94	12.7	35	4.7	0	0.0	0	0.0
120～129（F）	528	361	68.4	110	20.8	41	7.8	14	2.7	2	0.4	0	0.0
～119（M）	1267	1162	91.7	77	6.1	23	1.8	4	0.3	1	0.1	0	0.0
～119（F）	1752	1712	97.7	34	1.9	5	0.3	1	0.1	0	0.0	0	0.0
男合計	2984	1668	55.9	480	16.1	352	11.8	353	11.8	106	3.6	25	0.8
女合計	2921	2255	77.2	271	9.3	181	6.2	161	5.5	39	1.3	14	0.5
合計	5905	3923	66.4	751	12.7	533	9.0	514	8.7	145	2.5	39	0.7

60～69歳男女別計

最高血圧 mmHg	受診者数	最低血圧mmHg											
		～79	%	80～84	%	85～89	%	90～99	%	100～109	%	110～	%
180～（M）	8	1	12.5	0	0.0	0	0.0	0	0.0	5	62.5	2	25.0
180～（F）	14	1	7.1	1	7.1	3	21.4	2	14.3	5	35.7	2	14.3
160～179（M）	64	2	3.1	1	1.6	11	17.2	22	34.4	18	28.1	10	15.6
160～179（F）	59	5	8.5	3	5.1	11	18.6	27	45.8	10	16.9	3	5.1
140～159（M）	302	31	10.3	53	17.5	81	26.8	101	33.4	32	10.6	4	1.3
140～159（F）	220	69	31.4	35	15.9	47	21.4	54	24.5	13	5.9	2	0.9
130～139（M）	360	132	36.7	96	26.7	74	20.6	55	15.3	3	0.8	0	0.0
130～139（F）	287	154	53.7	64	22.3	50	17.4	17	5.9	2	0.7	0	0.0
120～129（M）	398	243	61.1	95	23.9	47	11.8	13	3.3	0	0.0	0	0.0
120～129（F）	319	253	79.3	43	13.5	19	6.0	4	1.3	0	0.0	0	0.0
～119（M）	607	567	93.4	27	4.4	11	1.8	2	0.3	0	0.0	0	0.0
～119（F）	761	739	97.1	20	2.6	2	0.3	0	0.0	0	0.0	0	0.0
男合計	1739	976	56.1	272	15.6	224	12.9	193	11.1	58	3.3	16	0.9
女合計	1660	1221	73.6	166	10.0	132	8.0	104	6.3	30	1.8	7	0.4
合計	3399	2197	64.6	438	12.9	356	10.5	297	8.7	88	2.6	23	0.7

70歳～男女別計

最高血圧 mmHg	受診者数	最低血圧mmHg											
		～79	%	80～84	%	85～89	%	90～99	%	100～109	%	110～	%
180～（M）	7	0	0.0	1	14.3	2	28.6	1	14.3	2	28.6	1	14.3
180～（F）	3	1	33.3	1	33.3	0	0.0	1	33.3	0	0.0	0	0.0
160～179（M）	19	2	10.5	7	36.8	5	26.3	2	10.5	3	15.8	0	0.0
160～179（F）	10	3	30.0	0	0.0	5	50.0	2	20.0	0	0.0	0	0.0
140～159（M）	97	31	32.0	19	19.6	21	21.6	21	21.6	5	5.2	0	0.0
140～159（F）	56	24	42.9	9	16.1	15	26.8	5	8.9	3	5.4	0	0.0
130～139（M）	91	46	50.5	20	22.0	20	22.0	4	4.4	1	1.1	0	0.0
130～139（F）	70	47	67.1	10	14.3	9	12.9	3	4.3	1	1.4	0	0.0
120～129（M）	101	79	78.2	17	16.8	5	5.0	0	0.0	0	0.0	0	0.0
120～129（F）	69	51	73.9	12	17.4	5	7.2	1	1.4	0	0.0	0	0.0
～119（M）	141	135	95.7	4	2.8	1	0.7	1	0.7	0	0.0	0	0.0
～119（F）	105	103	98.1	2	1.9	0	0.0	0	0.0	0	0.0	0	0.0
男合計	456	293	64.3	68	14.9	54	11.8	29	6.4	11	2.4	1	0.2
女合計	313	229	73.2	34	10.9	34	10.9	12	3.8	4	1.3	0	0.0
合計	769	522	67.9	102	13.3	88	11.4	41	5.3	15	2.0	1	0.1

男合計

最高血圧 mmHg	受診者数	最低血圧mmHg											
		～79	%	80～84	%	85～89	%	90～99	%	100～109	%	110～	%
180～	30	1	3.3	1	3.3	3	10.0	3	10.0	12	40.0	10	33.3
160～179	229	7	3.1	14	6.1	19	8.3	61	26.6	75	32.8	53	23.1
140～159	1172	111	9.5	165	14.1	268	22.9	437	37.3	172	14.7	19	1.6
130～139	1868	660	35.3	453	24.3	399	21.4	329	17.6	25	1.3	2	0.1
120～129	2953	1987	67.3	614	20.8	265	9.0	87	2.9	0	0.0	0	0.0
～119	5918	5628	95.1	218	3.7	61	1.0	9	0.2	2	0.0	0	0.0
合計	12170	8394	69.0	1465	12.0	1015	8.3	926	7.6	286	2.4	84	0.7

女合計

最高血圧 mmHg	受診者数	最低血圧mmHg											
		～79	%	80～84	%	85～89	%	90～99	%	100～109	%	110～	%
180～	35	2	5.7	3	8.6	4	11.4	5	14.3	8	22.9	13	37.1
160～179	167	11	6.6	8	4.8	30	18.0	55	32.9	47	28.1	16	9.6
140～159	699	153	21.9	109	15.6	151	21.6	223	31.9	58	8.3	5	0.7
130～139	1073	498	46.4	248	23.1	208	19.4	110	10.3	9	0.8	0	0.0
120～129	1874	1389	74.1	320	17.1	125	6.7	38	2.0	2	0.1	0	0.0
～119	10177	10009	98.3	138	1.4	28	0.3	2	0.0	0	0.0	0	0.0
合計	14025	12062	86.0	826	5.9	546	3.9	433	3.1	124	0.9	34	0.2

表3

BMI

男

区分	受診者数	正常		軽度の変化		経過観察		再検査		精密検査		治療		治療継続	
		数	%	数	%	数	%	数	%	数	%	数	%	数	%
15歳～19	47	35	74.5	0	0.0	12	25.5	0	0.0	0	0.0	0	0.0	0	0.0
20～29	1305	896	68.7	26	2.0	383	29.3	0	0.0	0	0.0	0	0.0	0	0.0
30～39	2665	1392	52.2	114	4.3	1157	43.4	0	0.0	0	0.0	1	0.0	1	0.0
40～49	3544	1474	41.6	141	4.0	1923	54.3	0	0.0	2	0.1	4	0.1	0	0.0
50～59	3176	1283	40.4	100	3.1	1786	56.2	0	0.0	0	0.0	7	0.2	0	0.0
60～69	1947	830	42.6	53	2.7	1055	54.2	0	0.0	0	0.0	8	0.4	1	0.1
70～79	442	202	45.7	7	1.6	229	51.8	0	0.0	0	0.0	4	0.9	0	0.0
80歳～	28	9	32.1	0	0.0	19	67.9	0	0.0	0	0.0	0	0.0	0	0.0
合計	13154	6121	46.5	441	3.4	6564	49.9	0	0.0	2	0.0	24	0.2	2	0.0

女

区分	受診者数	正常		軽度の変化		経過観察		再検査		精密検査		治療		治療継続	
		数	%	数	%	数	%	数	%	数	%	数	%	数	%
15歳～19	53	39	73.6	2	2.7	12	22.6	0	0.0	0	0.0	0	0.0	0	0.0
20～29	1484	939	63.3	59	4.0	486	32.7	0	0.0	0	0.0	0	0.0	0	0.0
30～39	3265	1750	53.6	287	8.8	1227	37.6	0	0.0	0	0.0	0	0.0	1	0.0
40～49	4837	2641	54.6	484	10.0	1709	35.3	0	0.0	0	0.0	3	0.1	0	0.0
50～59	3145	1634	52.0	317	10.1	1191	37.9	0	0.0	0	0.0	3	0.1	0	0.0
60～69	1755	958	54.6	159	9.1	635	36.2	0	0.0	0	0.0	2	0.1	1	0.1
70～79	299	180	60.2	22	7.4	97	32.4	0	0.0	0	0.0	0	0.0	0	0.0
80歳～	20	11	55.0	0	0.0	9	45.0	0	0.0	0	0.0	0	0.0	0	0.0
合計	14858	8152	54.9	1330	9.0	5366	36.1	0	0.0	0	0.0	8	0.1	2	0.0

表4

貧血検査結果

男

区分	受診者数	正常		軽度の変化		経過観察		再検査		精密検査		治療		治療継続	
		数	%	数	%	数	%	数	%	数	%	数	%	数	%
15歳～19	14	13	92.9	0	0.0	1	7.1	0	0.0	0	0.0	0	0.0	0	0.0
20～29	936	848	90.6	34	3.6	52	5.6	0	0.0	2	0.2	0	0.0	0	0.0
30～39	2221	1930	86.9	81	3.6	198	8.9	2	0.1	2	0.1	7	0.3	1	0.0
40～49	3151	2549	80.9	65	2.1	503	16.0	5	0.2	8	0.3	21	0.7	0	0.0
50～59	2935	2290	78.0	31	1.1	567	19.3	1	0.0	2	0.1	42	1.4	2	0.1
60～69	1592	1162	73.0	18	1.1	380	23.9	1	0.1	0	0.0	30	1.9	1	0.1
70～79	289	178	61.6	0	0.0	99	34.3	0	0.0	0	0.0	12	4.2	0	0.0
80歳～	8	2	25.0	0	0.0	2	25.0	0	0.0	0	0.0	3	37.5	1	12.5
合計	11146	8972	80.5	229	2.1	1802	16.2	9	0.1	14	0.1	115	1.0	5	0.0

女

区分	受診者数	正常		軽度の変化		経過観察		再検査		精密検査		治療		治療継続	
		数	%	数	%	数	%	数	%	数	%	数	%	数	%
15歳～19	39	33	84.6	2	2.4	4	10.3	0	0.0	0	0.0	0	0.0	0	0.0
20～29	1198	1011	84.4	20	1.7	145	12.1	0	0.0	1	0.1	20	1.7	1	0.1
30～39	2913	2311	79.3	38	1.3	444	15.2	1	0.0	9	0.3	98	3.4	12	0.4
40～49	4310	3117	72.3	46	1.1	856	19.9	1	0.0	2	0.0	253	5.9	35	0.8
50～59	2806	2303	82.1	56	2.0	375	13.4	0	0.0	6	0.2	51	1.8	15	0.5
60～69	1431	1206	84.3	22	1.5	191	13.3	0	0.0	2	0.1	10	0.7	0	0.0
70～79	175	142	81.1	0	0.0	32	18.3	0	0.0	0	0.0	1	0.6	0	0.0
80歳～	1	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
合計	12873	10124	78.6	184	1.4	2047	15.9	2	0.0	20	0.2	433	3.4	63	0.5

表5 肝機能検査結果

男															
区分	受診者数	正常		軽度の変化		経過観察		再検査		精密検査		治療		治療継続	
		数	%	数	%	数	%	数	%	数	%	数	%	数	%
15歳～19	15	14	93.3	0	0.0	0	0.0	1	6.7	0	0.0	0	0.0	0	0.0
20～29	944	790	83.7	14	1.5	62	6.6	67	7.1	7	0.7	4	0.4	0	0.0
30～39	2478	1565	63.2	109	4.4	424	17.1	226	9.1	132	5.3	21	0.8	1	0.0
40～49	3545	1879	53.0	142	4.0	761	21.5	505	14.2	194	5.5	58	1.6	6	0.2
50～59	3181	1622	51.0	148	4.7	805	25.3	412	13.0	105	3.3	74	2.3	15	0.5
60～69	1976	1273	64.4	77	3.9	364	18.4	166	8.4	73	3.7	21	1.1	2	0.1
70～79	477	361	75.7	15	3.1	55	11.5	41	8.6	3	0.6	1	0.2	1	0.2
80歳～	32	27	84.4	1	3.1	2	6.3	2	6.3	0	0.0	0	0.0	0	0.0
合計	12648	7531	59.5	506	4.0	2473	19.6	1420	11.2	514	4.1	179	1.4	25	0.2

女															
区分	受診者数	正常		軽度の変化		経過観察		再検査		精密検査		治療		治療継続	
		数	%	数	%	数	%	数	%	数	%	数	%	数	%
15歳～19	36	32	0.0	0	0.0	3	8.3	1	2.8	0	0.0	0	0.0	0	0.0
20～29	1079	990	91.8	14	1.3	64	5.9	10	0.9	1	0.1	0	0.0	0	0.0
30～39	3061	2533	82.8	48	1.6	369	12.1	90	2.9	12	0.4	8	0.3	1	0.0
40～49	4998	3954	79.1	100	2.0	686	13.7	198	4.0	41	0.8	18	0.4	1	0.0
50～59	3225	2265	70.2	76	2.4	542	16.8	267	8.3	33	1.0	33	1.0	9	0.3
60～69	1829	1384	75.7	39	2.1	240	13.1	127	6.9	15	0.8	15	0.8	9	0.5
70～79	336	264	78.6	15	4.5	29	8.6	24	7.1	0	0.0	2	0.6	2	0.6
80歳～	27	20	74.1	2	7.4	1	3.7	4	14.8	0	0.0	0	0.0	0	0.0
合計	14591	11442	78.4	294	2.0	1934	13.3	721	4.9	102	0.7	76	0.5	22	0.2

表6 脂質検査結果

男															
区分	受診者数	正常		軽度の変化		経過観察		再検査		精密検査		治療		治療継続	
		数	%	数	%	数	%	数	%	数	%	数	%	数	%
15歳～19	14	7	50.0	0	0.0	7	50.0	0	0.0	0	0.0	0	0.0	0	0.0
20～29	900	426	47.3	25	2.8	371	41.2	17	1.9	14	1.6	45	5.0	2	0.2
30～39	2209	998	45.2	101	4.6	712	32.2	94	4.3	26	1.2	263	11.9	15	0.7
40～49	3178	1121	35.3	124	3.9	1044	32.9	236	7.4	14	0.4	510	16.0	129	4.1
50～59	2964	1030	34.8	91	3.1	885	29.9	208	7.0	7	0.2	432	14.6	311	10.5
60～69	1723	605	35.1	43	2.5	516	29.9	88	5.1	12	0.7	230	13.3	229	13.3
70～79	423	186	44.0	6	1.4	108	25.5	17	4.0	0	0.0	49	11.6	57	13.5
80歳～	28	17	60.7	0	0.0	5	17.9	0	0.0	0	0.0	2	7.1	4	14.3
合計	11439	4390	38.4	390	3.4	3648	31.9	660	5.8	73	0.6	1531	13.4	747	6.5

女															
区分	受診者数	正常		軽度の変化		経過観察		再検査		精密検査		治療		治療継続	
		数	%	数	%	数	%	数	%	数	%	数	%	数	%
15歳～19	34	18	52.9	0	0.0	13	38.2	1	2.9	1	2.9	1	2.9	0	0.0
20～29	1052	465	44.2	29	2.8	496	47.1	4	0.4	38	3.6	19	1.8	1	0.1
30～39	2852	1403	49.2	119	4.2	1147	40.2	18	0.6	59	2.1	104	3.6	2	0.1
40～49	4464	2058	46.1	203	4.5	1754	39.3	79	1.8	43	1.0	284	6.4	43	1.0
50～59	2915	890	30.5	149	5.1	1136	39.0	102	3.5	8	0.3	457	15.7	173	5.9
60～69	1657	452	27.3	59	3.6	516	31.1	63	3.8	6	0.4	297	17.9	264	15.9
70～79	292	90	30.8	9	3.1	67	22.9	9	3.1	0	0.0	47	16.1	70	24.0
80歳～	19	11	57.9	0	0.0	4	21.1	0	0.0	0	0.0	2	10.5	2	10.5
合計	13285	5387	40.5	568	4.3	5133	38.6	276	2.1	155	1.2	1211	9.1	555	4.2

表7 選別聴力検査

男															
区分	受診者数	正常		軽度の変化		経過観察		再検査		精密検査		治療		治療継続	
		数	%	数	%	数	%	数	%	数	%	数	%	数	%
15歳～19	50	50	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20～29	1104	1090	98.7	9	0.8	4	0.4	0	0.0	0	0.0	1	0.1	0	0.0
30～39	2299	2259	98.3	26	1.1	11	0.5	0	0.0	0	0.0	1	0.0	2	0.1
40～49	3114	2911	93.5	104	3.3	72	2.3	0	0.0	0	0.0	27	0.9	0	0.0
50～59	2867	2356	82.2	274	9.6	171	6.0	0	0.0	0	0.0	66	2.3	0	0.0
60～69	1502	934	62.2	275	18.3	209	13.9	0	0.0	0	0.0	84	5.6	0	0.0
70～79	252	102	40.5	55	21.8	60	23.8	0	0.0	0	0.0	35	13.9	0	0.0
80歳～	6	0	0.0	1	16.7	4	66.7	0	0.0	0	0.0	1	16.7	0	0.0
合計	11194	9702	86.7	744	6.6	531	4.7	0	0.0	0	0.0	215	1.9	2	0.0

女															
区分	受診者数	正常		軽度の変化		経過観察		再検査		精密検査		治療		治療継続	
		数	%	数	%	数	%	数	%	数	%	数	%	数	%
15歳～19	47	47	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20～29	1255	1240	98.8	5	0.4	6	0.5	0	0.0	0	0.0	2	0.2	2	0.2
30～39	2688	2649	98.5	23	0.9	11	0.4	0	0.0	0	0.0	3	0.1	2	0.1
40～49	3471	3374	97.2	53	1.5	26	0.7	0	0.0	0	0.0	18	0.5	0	0.0
50～59	2194	2052	93.5	85	3.9	39	1.8	0	0.0	0	0.0	18	0.8	0	0.0
60～69	1061	843	79.5	142	13.4	51	4.8	0	0.0	0	0.0	23	2.2	2	0.2
70～79	121	66	54.5	31	25.6	15	12.4	0	0.0	0	0.0	9	7.4	0	0.0
80歳～	1	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
合計	10838	10272	94.8	339	3.1	148	1.4	0	0.0	0	0.0	73	0.7	6	0.1

表8 心電図検査結果

男															
区分	受診者数	正常		軽度の変化		経過観察		再検査		精密検査		治療		治療継続	
		数	%	数	%	数	%	数	%	数	%	数	%	数	%
15歳～19	16	16	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20～29	662	595	89.9	58	8.8	9	1.4	0	0.0	0	0.0	0	0.0	0	0.0
30～39	2052	1862	90.7	143	7.0	47	2.3	0	0.0	0	0.0	0	0.0	0	0.0
40～49	3140	2847	90.7	185	5.9	102	3.2	1	0.0	0	0.0	3	0.1	2	0.1
50～59	2923	2554	87.4	157	5.4	175	6.0	0	0.0	0	0.0	3	0.1	34	1.2
60～69	1533	1288	84.0	88	5.7	132	8.6	0	0.0	0	0.0	4	0.3	21	1.4
70～79	259	201	77.6	16	6.2	38	14.7	0	0.0	0	0.0	0	0.0	4	1.5
80歳～	7	4	57.1	1	14.3	2	28.6	0	0.0	0	0.0	0	0.0	0	0.0
合計	10592	9367	88.4	648	6.1	505	4.8	1	0.0	0	0.0	10	0.1	61	0.6

女															
区分	受診者数	正常		軽度の変化		経過観察		再検査		精密検査		治療		治療継続	
		数	%	数	%	数	%	数	%	数	%	数	%	数	%
15歳～19	25	24	96.0	1	4.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20～29	765	717	93.7	35	4.6	13	1.7	0	0.0	0	0.0	0	0.0	0	0.0
30～39	2672	2512	94.0	116	4.3	42	1.6	0	0.0	2	0.1	0	0.0	0	0.0
40～49	3983	3788	95.1	139	3.5	54	1.4	1	0.0	0	0.0	0	0.0	1	0.0
50～59	2541	2340	92.1	111	4.4	86	3.4	0	0.0	0	0.0	1	0.0	3	0.1
60～69	1230	1111	90.3	41	3.3	73	5.9	0	0.0	0	0.0	0	0.0	5	0.4
70～79	142	115	81.0	7	4.9	19	13.4	0	0.0	0	0.0	0	0.0	1	0.7
80歳～	2	2	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
合計	11360	10609	93.4	450	4.0	287	2.5	1	0.0	2	0.0	1	0.0	10	0.1

表9 眼底検査結果

男															
区分	受診者数	正常		軽度の変化		経過観察		再検査		精密検査		治療		治療継続	
		数	%	数	%	数	%	数	%	数	%	数	%	数	%
15歳～19	0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20～29	24	23	95.8	0	0.0	1	4.2	0	0.0	0	0.0	0	0.0	0	0.0
30～39	823	811	98.5	0	0.0	6	0.7	0	0.0	0	0.0	6	0.7	0	0.0
40～49	2411	2258	93.7	0	0.0	84	3.5	0	0.0	2	0.1	50	2.1	17	0.7
50～59	2480	2219	89.5	0	0.0	145	5.8	0	0.0	1	0.0	72	2.9	43	1.7
60～69	929	813	87.5	0	0.0	65	7.0	0	0.0	0	0.0	25	2.7	26	2.8
70～79	152	128	84.2	0	0.0	13	8.6	0	0.0	0	0.0	6	3.9	5	3.3
80歳～	7	5	71.4	0	0.0	1	14.3	0	0.0	0	0.0	1	14.3	0	0.0
合計	6826	6257	91.7	0	0.0	315	4.6	0	0.0	3	0.0	160	2.3	91	1.3

女															
区分	受診者数	正常		軽度の変化		経過観察		再検査		精密検査		治療		治療継続	
		数	%	数	%	数	%	数	%	数	%	数	%	数	%
15歳～19	1	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20～29	28	28	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
30～39	752	743	98.8	0	0.0	5	0.7	0	0.0	0	0.0	4	0.5	0	0.0
40～49	1694	1648	97.3	0	0.0	28	1.7	0	0.0	0	0.0	11	0.6	7	0.4
50～59	1253	1187	94.7	0	0.0	28	2.2	0	0.0	0	0.0	26	2.1	12	1.0
60～69	496	448	90.3	0	0.0	25	5.0	0	0.0	0	0.0	16	3.2	7	1.4
70～79	65	50	76.9	0	0.0	8	12.3	0	0.0	0	0.0	4	6.2	3	4.6
80歳～	0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
合計	4289	4105	95.7	0	0.0	94	2.2	0	0.0	0	0.0	61	1.4	29	0.7

表10 糖代謝検査結果

男															
区分	受診者数	正常		軽度の変化		経過観察		再検査		精密検査		治療		治療継続	
		数	%	数	%	数	%	数	%	数	%	数	%	数	%
15歳～19	46	46	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20～29	1303	1271	97.5	4	0.3	17	1.3	8	0.6	0	0.0	0	0.0	3	0.2
30～39	2665	2456	92.2	22	0.8	149	5.6	16	0.6	4	0.2	9	0.3	9	0.3
40～49	3544	2840	80.1	38	1.1	469	13.2	64	1.8	11	0.3	58	1.6	64	1.8
50～59	3182	2111	66.3	34	1.1	670	21.1	126	4.0	7	0.2	48	1.5	186	5.8
60～69	1948	1296	66.5	24	1.2	348	17.9	103	5.3	7	0.4	40	2.1	130	6.7
70～79	442	298	67.4	2	0.5	81	18.3	24	5.4	2	0.5	4	0.9	31	7.0
80歳～	28	24	85.7	0	0.0	2	7.1	1	3.6	0	0.0	0	0.0	1	3.6
合計	13158	10342	78.6	124	0.9	1736	13.2	342	2.6	31	0.2	159	1.2	424	3.2

女															
区分	受診者数	正常		軽度の変化		経過観察		再検査		精密検査		治療		治療継続	
		数	%	数	%	数	%	数	%	数	%	数	%	数	%
15歳～19	51	50	98.0	0	0.0	1	2.0	0	0.0	0	0.0	0	0.0	0	0.0
20～29	1483	1447	97.6	2	0.1	29	2.0	2	0.1	1	0.1	1	0.1	1	0.1
30～39	3264	3091	94.7	26	0.8	125	3.8	13	0.4	1	0.0	6	0.2	2	0.1
40～49	4837	4373	90.4	56	1.2	344	7.1	32	0.7	7	0.1	6	0.1	19	0.4
50～59	3149	2496	79.3	64	2.0	472	15.0	49	1.6	9	0.3	15	0.5	44	1.4
60～69	1757	1265	72.0	42	2.4	349	19.9	42	2.4	7	0.4	11	0.6	41	2.3
70～79	299	210	70.2	7	2.3	57	19.1	9	3.0	0	0.0	1	0.3	15	5.0
80歳～	20	20	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
合計	14860	12952	87.2	197	1.3	1377	9.3	147	1.0	25	0.2	40	0.3	122	0.8

表11 胸部X線検査結果(循環器)

男															
区分	受診者数	正常		軽度の変化		経過観察		再検査		精密検査		治療		治療継続	
		数	%	数	%	数	%	数	%	数	%	数	%	数	%
15歳～19	48	48	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20～29	1221	1203	98.5	0	0.0	18	1.5	0	0.0	0	0.0	0	0.0	0	0.0
30～39	2350	2298	97.8	0	0.0	52	2.2	0	0.0	0	0.0	0	0.0	0	0.0
40～49	3078	2939	95.5	0	0.0	139	4.5	0	0.0	0	0.0	0	0.0	0	0.0
50～59	2679	2515	93.9	0	0.0	164	6.1	0	0.0	0	0.0	0	0.0	0	0.0
60～69	1661	1537	92.5	0	0.0	124	7.5	0	0.0	0	0.0	0	0.0	0	0.0
70～79	408	368	90.2	0	0.0	39	9.6	0	0.0	1	0.2	0	0.0	0	0.0
80歳～	29	24	82.8	0	0.0	5	17.2	0	0.0	0	0.0	0	0.0	0	0.0
合計	11474	10932	95.3	0	0.0	541	4.7	0	0.0	1	0.0	0	0.0	0	0.0

女															
区分	受診者数	正常		軽度の変化		経過観察		再検査		精密検査		治療		治療継続	
		数	%	数	%	数	%	数	%	数	%	数	%	数	%
15歳～19	54	54	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20～29	1441	1435	99.6	0	0.0	6	0.4	0	0.0	0	0.0	0	0.0	0	0.0
30～39	2950	2931	99.4	0	0.0	19	0.6	0	0.0	0	0.0	0	0.0	0	0.0
40～49	4095	4059	99.1	0	0.0	36	0.9	0	0.0	0	0.0	0	0.0	0	0.0
50～59	2569	2489	96.9	1	0.0	79	3.1	0	0.0	0	0.0	0	0.0	0	0.0
60～69	1466	1372	93.6	0	0.0	94	6.4	0	0.0	0	0.0	0	0.0	0	0.0
70～79	294	261	88.8	0	0.0	33	11.2	0	0.0	0	0.0	0	0.0	0	0.0
80歳～	18	16	88.9	0	0.0	2	11.1	0	0.0	0	0.0	0	0.0	0	0.0
合計	12887	12617	97.9	1	0.0	269	2.1	0	0.0	0	0.0	0	0.0	0	0.0

表12 胸部X線検査結果(呼吸器)

男															
区分	受診者数	正常		軽度の変化		経過観察		再検査		精密検査		治療		治療継続	
		数	%	数	%	数	%	数	%	数	%	数	%	数	%
15歳～19	47	47	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20～29	1221	1209	99.0	3	0.2	6	0.5	1	0.1	0	0.0	2	0.2	0	0.0
30～39	2350	2278	96.9	15	0.6	48	2.0	2	0.1	5	0.2	1	0.0	1	0.0
40～49	3078	2894	94.0	17	0.6	153	5.0	7	0.2	5	0.2	2	0.1	0	0.0
50～59	2679	2394	89.4	18	0.7	255	9.5	6	0.2	3	0.1	3	0.1	0	0.0
60～69	1661	1353	81.5	19	1.1	278	16.7	4	0.2	5	0.3	2	0.1	0	0.0
70～79	408	281	68.9	5	1.2	116	28.4	3	0.7	0	0.0	3	0.7	0	0.0
80歳～	29	19	65.5	0	0.0	10	34.5	0	0.0	0	0.0	0	0.0	0	0.0
合計	11473	10475	91.3	77	0.7	866	7.5	23	0.2	18	0.2	13	0.1	1	0.0

女															
区分	受診者数	正常		軽度の変化		経過観察		再検査		精密検査		治療		治療継続	
		数	%	数	%	数	%	数	%	数	%	数	%	数	%
15歳～19	54	54	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20～29	1441	1431	99.3	1	0.1	8	0.6	0	0.0	1	0.1	0	0.0	0	0.0
30～39	2950	2914	98.8	10	0.3	24	0.8	0	0.0	2	0.1	0	0.0	0	0.0
40～49	4095	3942	96.3	25	0.6	115	2.8	3	0.1	4	0.1	5	0.1	1	0.0
50～59	2569	2324	90.5	27	1.1	208	8.1	0	0.0	5	0.2	4	0.2	1	0.0
60～69	1466	1229	83.8	10	0.7	219	14.9	2	0.1	1	0.1	4	0.3	1	0.1
70～79	294	229	77.9	5	1.7	57	19.4	1	0.3	0	0.0	2	0.7	0	0.0
80歳～	18	9	50.0	0	0.0	9	50.0	0	0.0	0	0.0	0	0.0	0	0.0
合計	12887	12132	94.1	78	0.6	640	5.0	6	0.0	13	0.1	15	0.1	3	0.0