

平成24年度 健康診断結果表

表1 健康診断の受診者数

	男	女	総数
平成24年度	12091	20760	32851 (人)

表2 血圧検査結果

最高血圧 mmHg	受診者数	最低血圧mmHg											
		~79	%	80~84	%	85~89	%	90~99	%	100~109	%	110~	%
180~ (M)	0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
180~ (F)	0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
160~179 (M)	3	1	33.3	1	33.3	0	0.0	1	33.3	0	0.0	0	0.0
160~179 (F)	1	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
140~159 (M)	38	20	52.6	5	13.2	9	23.7	4	10.5	0	0.0	0	0.0
140~159 (F)	8	2	25.0	1	12.5	1	12.5	4	50.0	0	0.0	0	0.0
130~139 (M)	137	105	76.6	20	14.6	10	7.3	2	1.5	0	0.0	0	0.0
130~139 (F)	30	20	66.7	4	13.3	3	10.0	3	10.0	0	0.0	0	0.0
120~129 (M)	381	354	92.9	24	6.3	2	0.5	1	0.3	0	0.0	0	0.0
120~129 (F)	125	111	88.8	11	8.8	2	1.6	1	0.8	0	0.0	0	0.0
~119 (M)	759	755	99.5	2	0.3	2	0.3	0	0.0	0	0.0	0	0.0
~119 (F)	1496	1484	99.2	9	0.6	3	0.2	0	0.0	0	0.0	0	0.0
男合計	1318	1235	93.7	52	3.9	23	1.7	8	0.6	0	0.0	0	0.0
女合計	1660	1618	97.5	25	1.5	9	0.5	8	0.5	0	0.0	0	0.0
合計	2978	2853	95.8	77	2.6	32	1.1	16	0.5	0	0.0	0	0.0

30~39歳男女別計

最高血圧 mmHg	受診者数	最低血圧mmHg											
		~79	%	80~84	%	85~89	%	90~99	%	100~109	%	110~	%
180~ (M)	3	0	0.0	0	0.0	0	0.0	1	33.3	0	0.0	2	66.7
180~ (F)	0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
160~179 (M)	18	2	11.1	0	0.0	0	0.0	3	16.7	6	33.3	7	38.9
160~179 (F)	8	0	0.0	0	0.0	0	0.0	1	12.5	6	75.0	1	12.5
140~159 (M)	107	8	7.5	18	16.8	25	23.4	31	29.0	23	21.5	2	1.9
140~159 (F)	26	1	3.8	1	3.8	4	15.4	16	61.5	4	15.4	0	0.0
130~139 (M)	235	112	47.7	61	26.0	36	15.3	24	10.2	2	0.9	0	0.0
130~139 (F)	73	24	32.9	18	24.7	16	21.9	12	16.4	3	4.1	0	0.0
120~129 (M)	564	469	83.2	70	12.4	21	3.7	4	0.7	0	0.0	0	0.0
120~129 (F)	235	182	77.4	39	16.6	11	4.7	3	1.3	0	0.0	0	0.0
~119 (M)	1326	1304	98.3	18	1.4	4	0.3	0	0.0	0	0.0	0	0.0
~119 (F)	2639	2605	98.7	27	1.0	6	0.2	1	0.0	0	0.0	0	0.0
男合計	2253	1895	84.1	167	7.4	86	3.8	63	2.8	31	1.4	11	0.5
女合計	2981	2812	94.3	85	2.9	37	1.2	33	1.1	13	0.4	1	0.0
合計	5234	4707	89.9	252	4.8	123	2.4	96	1.8	44	0.8	12	0.2

40～49歳男女別計

最高血圧 mmHg	受診者数	最低血圧mmHg											
		～79	%	80～84	%	85～89	%	90～99	%	100～109	%	110～	%
180～(M)	4	0	0.0	0	0.0	0	0.0	0	0.0	1	25.0	3	75.0
180～(F)	5	0	0.0	0	0.0	0	0.0	1	20.0	2	40.0	2	40.0
160～179(M)	46	0	0.0	0	0.0	3	6.5	11	23.9	17	37.0	15	32.6
160～179(F)	34	1	2.9	0	0.0	2	5.9	10	29.4	16	47.1	5	14.7
140～159(M)	229	10	4.4	19	8.3	33	14.4	109	47.6	53	23.1	5	2.2
140～159(F)	147	20	13.6	17	11.6	26	17.7	67	45.6	16	10.9	1	0.7
130～139(M)	438	113	25.8	118	26.9	110	25.1	89	20.3	8	1.8	0	0.0
130～139(F)	298	103	34.6	81	27.2	62	20.8	45	15.1	5	1.7	2	0.7
120～129(M)	747	452	60.5	178	23.8	92	12.3	23	3.1	2	0.3	0	0.0
120～129(F)	591	407	68.9	121	20.5	48	8.1	14	2.4	1	0.2	0	0.0
～119(M)	1784	1675	93.9	81	4.5	26	1.5	2	0.1	0	0.0	0	0.0
～119(F)	3821	3755	98.3	56	1.5	9	0.2	1	0.0	0	0.0	0	0.0
男合計	3248	2250	69.3	396	12.2	264	8.1	234	7.2	81	2.5	23	0.7
女合計	4896	4286	87.5	275	5.6	147	3.0	138	2.8	40	0.8	10	0.2
合計	8144	6536	80.3	671	8.2	411	5.0	372	4.6	121	1.5	33	0.4

50～59歳男女別計

最高血圧 mmHg	受診者数	最低血圧mmHg											
		～79	%	80～84	%	85～89	%	90～99	%	100～109	%	110～	%
180～(M)	14	0	0.0	0	0.0	0	0.0	1	7.1	2	14.3	11	78.6
180～(F)	14	0	0.0	0	0.0	1	7.1	3	21.4	4	28.6	6	42.9
160～179(M)	64	0	0.0	3	4.7	4	6.3	17	26.6	31	48.4	9	14.1
160～179(F)	49	1	2.0	2	4.1	12	24.5	17	34.7	10	20.4	7	14.3
140～159(M)	347	11	3.2	36	10.4	67	19.3	183	52.7	44	12.7	6	1.7
140～159(F)	224	33	14.7	28	12.5	57	25.4	89	39.7	16	7.1	1	0.4
130～139(M)	522	99	19.0	162	31.0	139	26.6	114	21.8	8	1.5	0	0.0
130～139(F)	391	147	37.6	112	28.6	74	18.9	55	14.1	3	0.8	0	0.0
120～129(M)	698	373	53.4	185	26.5	107	15.3	33	4.7	0	0.0	0	0.0
120～129(F)	542	371	68.5	111	20.5	44	8.1	15	2.8	1	0.2	0	0.0
～119(M)	1340	1247	93.1	69	5.1	21	1.6	3	0.2	0	0.0	0	0.0
～119(F)	1960	1894	96.6	52	2.7	13	0.7	1	0.1	0	0.0	0	0.0
男合計	2985	1730	58.0	455	15.2	338	11.3	351	11.8	85	2.8	26	0.9
女合計	3180	2446	76.9	305	9.6	201	6.3	180	5.7	34	1.1	14	0.4
合計	6165	4176	67.7	760	12.3	539	8.7	531	8.6	119	1.9	40	0.6

60～69歳男女別計

最高血圧 mmHg	受診者数	最低血圧mmHg											
		～79	%	80～84	%	85～89	%	90～99	%	100～109	%	110～	%
180～(M)	9	0	0.0	1	11.1	0	0.0	1	11.1	4	44.4	3	33.3
180～(F)	10	1	10.0	1	10.0	0	0.0	3	30.0	2	20.0	3	30.0
160～179(M)	64	3	4.7	5	7.8	9	14.1	25	39.1	18	28.1	4	6.3
160～179(F)	65	5	7.7	14	21.5	9	13.8	19	29.2	14	21.5	4	6.2
140～159(M)	275	36	13.1	42	15.3	54	19.6	116	42.2	26	9.5	1	0.4
140～159(F)	211	43	20.4	51	24.2	43	20.4	60	28.4	14	6.6	0	0.0
130～139(M)	324	118	36.4	99	30.6	61	18.8	44	13.6	2	0.6	0	0.0
130～139(F)	256	114	44.5	69	27.0	49	19.1	22	8.6	2	0.8	0	0.0
120～129(M)	414	257	62.1	93	22.5	48	11.6	16	3.9	0	0.0	0	0.0
120～129(F)	379	292	77.0	62	16.4	21	5.5	4	1.1	0	0.0	0	0.0
～119(M)	648	610	94.1	31	4.8	6	0.9	1	0.2	0	0.0	0	0.0
～119(F)	826	794	96.1	22	2.7	8	1.0	2	0.2	0	0.0	0	0.0
男合計	1734	1024	59.1	271	15.6	178	10.3	203	11.7	50	2.9	8	0.5
女合計	1747	1249	71.5	219	12.5	130	7.4	110	6.3	32	1.8	7	0.4
合計	3481	2273	65.3	490	14.1	308	8.8	313	9.0	82	2.4	15	0.4

70歳～男女別計													
最高血圧 mmHg	受診者数	最低血圧mmHg											
		～79	%	80～84	%	85～89	%	90～99	%	100～109	%	110～	%
180～(M)	3	0	0.0	0	0.0	0	0.0	1	33.3	2	66.7	0	0.0
180～(F)	4	0	0.0	0	0.0	2	50.0	1	25.0	1	25.0	0	0.0
160～179(M)	28	1	3.6	3	10.7	6	21.4	12	42.9	5	17.9	1	3.6
160～179(F)	12	1	8.3	3	25.0	0	0.0	8	66.7	0	0.0	0	0.0
140～159(M)	87	31	35.6	22	25.3	19	21.8	11	12.6	4	4.6	0	0.0
140～159(F)	59	34	57.6	12	20.3	8	13.6	4	6.8	1	1.7	0	0.0
130～139(M)	102	53	52.0	21	20.6	17	16.7	11	10.8	0	0.0	0	0.0
130～139(F)	69	46	66.7	12	17.4	7	10.1	4	5.8	0	0.0	0	0.0
120～129(M)	104	81	77.9	18	17.3	3	2.9	2	1.9	0	0.0	0	0.0
120～129(F)	87	72	82.8	14	16.1	1	1.1	0	0.0	0	0.0	0	0.0
～119(M)	175	169	96.6	5	2.9	1	0.6	0	0.0	0	0.0	0	0.0
～119(F)	145	142	97.9	2	1.4	1	0.7	0	0.0	0	0.0	0	0.0
男合計	499	335	67.1	69	13.8	46	9.2	37	7.4	11	2.2	1	0.2
女合計	376	295	78.5	43	11.4	19	5.1	17	4.5	2	0.5	0	0.0
合計	875	630	72.0	112	12.8	65	7.4	54	6.2	13	1.5	1	0.1

男合計													
最高血圧 mmHg	受診者数	最低血圧mmHg											
		～79	%	80～84	%	85～89	%	90～99	%	100～109	%	110～	%
180～	33	0	0.0	1	3.0	0	0.0	4	12.1	9	27.3	19	57.6
160～179	223	7	3.1	12	5.4	22	9.9	69	30.9	77	34.5	36	16.1
140～159	1083	116	10.7	142	13.1	207	19.1	454	41.9	150	13.9	14	1.3
130～139	1758	600	34.1	481	27.4	373	21.2	284	16.2	20	1.1	0	0.0
120～129	2908	1986	68.3	568	19.5	273	9.4	79	2.7	2	0.1	0	0.0
～119	6032	5760	95.5	206	3.4	60	1.0	6	0.1	0	0.0	0	0.0
合計	12037	8469	70.4	1410	11.7	935	7.8	896	7.4	258	2.1	69	0.6

女合計													
最高血圧 mmHg	受診者数	最低血圧mmHg											
		～79	%	80～84	%	85～89	%	90～99	%	100～109	%	110～	%
180～	33	1	3.0	1	3.0	3	9.1	8	24.2	9	27.3	11	33.3
160～179	169	9	5.3	19	11.2	23	13.6	55	32.5	46	27.2	17	10.1
140～159	675	133	19.7	110	16.3	139	20.6	240	35.6	51	7.6	2	0.3
130～139	1117	454	40.6	296	26.5	211	18.9	141	12.6	13	1.2	2	0.2
120～129	1959	1435	73.3	358	18.3	127	6.5	37	1.9	2	0.1	0	0.0
～119	10887	10674	98.0	168	1.5	40	0.4	5	0.0	0	0.0	0	0.0
合計	14840	12706	85.6	952	6.4	543	3.7	486	3.3	121	0.8	32	0.2

表3 BMI
男

区分	受診者数	正常		軽度の変化		経過観察		再検査		精密検査		治療		治療継続	
		数	%	数	%	数	%	数	%	数	%	数	%	数	%
15歳～19	39	28	71.8	1	1.4	10	25.6	0	0.0	0	0.0	0	0.0	0	0.0
20～29	1278	826	64.6	28	2.2	424	33.2	0	0.0	0	0.0	0	0.0	0	0.0
30～39	2454	1287	52.4	90	3.7	1076	43.8	0	0.0	0	0.0	0	0.0	1	0.0
40～49	3575	1566	43.8	149	4.2	1852	51.8	0	0.0	0	0.0	8	0.2	0	0.0
50～59	3195	1276	39.9	88	2.8	1822	57.0	0	0.0	0	0.0	7	0.2	2	0.1
60～69	1940	839	43.2	48	2.5	1031	53.1	0	0.0	0	0.0	22	1.1	0	0.0
70～79	483	238	49.3	5	1.0	234	48.4	0	0.0	0	0.0	6	1.2	0	0.0
80歳～	31	14	45.2	0	0.0	17	54.8	0	0.0	0	0.0	0	0.0	0	0.0
合計	12995	6074	46.7	409	3.1	6466	49.8	0	0.0	0	0.0	43	0.3	3	0.0

女

区分	受診者数	正常		軽度の変化		経過観察		再検査		精密検査		治療		治療継続	
		数	%	数	%	数	%	数	%	数	%	数	%	数	%
15歳～19	65	46	70.8	4	5.7	15	23.1	0	0.0	0	0.0	0	0.0	0	0.0
20～29	1586	1013	63.9	92	5.8	481	30.3	0	0.0	0	0.0	0	0.0	0	0.0
30～39	3130	1679	53.6	296	9.5	1155	36.9	0	0.0	0	0.0	0	0.0	0	0.0
40～49	5238	2822	53.9	523	10.0	1891	36.1	0	0.0	1	0.0	1	0.0	0	0.0
50～59	3410	1791	52.5	337	9.9	1280	37.5	0	0.0	0	0.0	2	0.1	0	0.0
60～69	1841	993	53.9	146	7.9	698	37.9	0	0.0	0	0.0	3	0.2	1	0.1
70～79	363	217	59.8	27	7.4	119	32.8	0	0.0	0	0.0	0	0.0	0	0.0
80歳～	21	14	66.7	0	0.0	7	33.3	0	0.0	0	0.0	0	0.0	0	0.0
合計	15654	8575	54.8	1425	9.1	5646	36.1	0	0.0	1	0.0	6	0.0	1	0.0

表4 貧血検査結果

男

区分	受診者数	正常		軽度の変化		経過観察		再検査		精密検査		治療		治療継続	
		数	%	数	%	数	%	数	%	数	%	数	%	数	%
15歳～19	22	22	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20～29	955	878	91.9	28	2.9	34	3.6	1	0.1	3	0.3	10	1.0	1	0.1
30～39	2077	1795	86.4	95	4.6	151	7.3	1	0.0	2	0.1	33	1.6	0	0.0
40～49	3179	2636	82.9	84	2.6	386	12.1	3	0.1	5	0.2	64	2.0	1	0.0
50～59	2923	2261	77.4	32	1.1	537	18.4	2	0.1	3	0.1	86	2.9	2	0.1
60～69	1498	1070	71.4	23	1.5	349	23.3	2	0.1	1	0.1	51	3.4	2	0.1
70～79	290	207	71.4	1	0.3	66	0.0	0	0.0	0	0.0	12	4.1	4	1.4
80歳～	8	2	25.0	0	0.0	5	62.5	0	0.0	0	0.0	1	12.5	0	0.0
合計	10952	8871	81.0	263	2.4	1528	14.0	9	0.1	14	0.1	257	2.3	10	0.1

女

区分	受診者数	正常		軽度の変化		経過観察		再検査		精密検査		治療		治療継続	
		数	%	数	%	数	%	数	%	数	%	数	%	数	%
15歳～19	50	41	82.0	0	0.0	5	10.0	0	0.0	2	4.0	2	4.0	0	0.0
20～29	1228	1029	83.8	33	2.7	132	10.7	0	0.0	6	0.5	26	2.1	2	0.2
30～39	2780	2208	79.4	48	1.7	426	15.3	0	0.0	5	0.2	84	3.0	9	0.3
40～49	4497	3248	72.2	64	1.4	881	19.6	0	0.0	7	0.2	252	5.6	45	1.0
50～59	2846	2223	78.1	66	2.3	466	16.4	0	0.0	6	0.2	74	2.6	11	0.4
60～69	1351	1090	80.7	23	1.7	211	15.6	0	0.0	2	0.1	24	1.8	1	0.1
70～79	184	146	79.3	0	0.0	32	17.4	0	0.0	0	0.0	5	2.7	1	0.5
80歳～	0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
合計	12936	9985	77.2	234	1.8	2153	16.6	0	0.0	28	0.2	467	3.6	69	0.5

表5 肝機能検査結果

区分	受診者数	正常		軽度の変化		経過観察		再検査		精密検査		治療		治療継続	
		数	%	数	%	数	%	数	%	数	%	数	%	数	%
15歳～19	22	20	90.9	0	0.0	0	0.0	1	4.5	0	0.0	1	4.5	0	0.0
20～29	968	802	82.9	23	2.4	59	6.1	44	4.5	12	1.2	28	2.9	0	0.0
30～39	2284	1457	63.8	99	4.3	369	16.2	165	7.2	132	5.8	62	2.7	0	0.0
40～49	3575	2152	60.2	103	2.9	672	18.8	314	8.8	171	4.8	157	4.4	6	0.2
50～59	3183	1724	54.2	97	3.0	802	25.2	288	9.0	102	3.2	160	5.0	10	0.3
60～69	1952	1298	66.5	69	3.5	352	18.0	105	5.4	66	3.4	57	2.9	5	0.3
70～79	507	384	75.7	11	2.2	74	14.6	25	4.9	6	1.2	5	1.0	2	0.4
80歳～	35	31	88.6	2	5.7	1	2.9	1	2.9	0	0.0	0	0.0	0	0.0
合計	12526	7868	62.8	404	3.2	2329	18.6	943	7.5	489	3.9	470	3.8	23	0.2

女

区分	受診者数	正常		軽度の変化		経過観察		再検査		精密検査		治療		治療継続	
		数	%	数	%	数	%	数	%	数	%	数	%	数	%
15歳～19	42	40	95.2	0	0.0	2	4.8	0	0.0	0	0.0	0	0.0	0	0.0
20～29	1105	993	89.9	14	1.3	80	7.2	9	0.8	3	0.3	6	0.5	0	0.0
30～39	2948	2479	84.1	50	1.7	330	11.2	58	2.0	13	0.4	18	0.6	0	0.0
40～49	5392	4313	80.0	96	1.8	720	13.4	181	3.4	37	0.7	45	0.8	0	0.0
50～59	3514	2532	72.1	64	1.8	584	16.6	221	6.3	27	0.8	79	2.2	7	0.2
60～69	1899	1375	72.4	41	2.2	304	16.0	125	6.6	20	1.1	24	1.3	10	0.5
70～79	389	308	79.2	12	3.1	40	10.3	23	5.9	1	0.3	2	0.5	3	0.8
80歳～	28	26	92.9	1	3.6	0	0.0	1	3.6	0	0.0	0	0.0	0	0.0
合計	15317	12066	78.8	278	1.8	2060	13.4	618	4.0	101	0.7	174	1.1	20	0.1

表6 脂質検査結果

区分	受診者数	正常		軽度の変化		経過観察		再検査		精密検査		治療		治療継続	
		数	%	数	%	数	%	数	%	数	%	数	%	数	%
15歳～19	22	10	45.5	0	0.0	11	50.0	1	2.0	0	0.0	0	0.0	0	0.0
20～29	927	431	46.5	25	2.7	392	42.3	14	1.5	16	1.7	48	5.2	1	0.1
30～39	2050	901	44.0	111	5.4	714	34.8	64	3.1	26	1.3	220	10.7	14	0.7
40～49	3210	1153	35.9	123	3.8	1087	33.9	194	6.0	21	0.7	505	15.7	127	4.0
50～59	2955	973	32.9	90	3.0	945	32.0	188	6.4	7	0.2	447	15.1	305	10.3
60～69	1721	584	33.9	54	3.1	530	30.8	85	4.9	9	0.5	209	12.1	250	14.5
70～79	463	199	43.0	9	1.9	124	26.8	13	2.8	1	0.2	40	8.6	77	16.6
80歳～	31	19	61.3	0	0.0	3	9.7	0	0.0	0	0.0	3	9.7	6	19.4
合計	11379	4270	37.5	412	3.6	3806	33.4	559	4.9	80	0.7	1472	12.9	780	6.9

女

区分	受診者数	正常		軽度の変化		経過観察		再検査		精密検査		治療		治療継続	
		数	%	数	%	数	%	数	%	数	%	数	%	数	%
15歳～19	42	19	45.2	3	7.1	19	45.2	0	0.0	1	2.4	0	0.0	0	0.0
20～29	1073	462	43.1	27	2.5	508	47.3	4	0.4	49	4.6	22	2.1	1	0.1
30～39	2753	1334	48.5	123	4.5	1122	40.8	17	0.6	76	2.8	80	2.9	1	0.0
40～49	4855	2226	45.8	221	4.6	1915	39.4	76	1.6	53	1.1	316	6.5	48	1.0
50～59	3170	969	30.6	157	5.0	1206	38.0	97	3.1	16	0.5	526	16.6	199	6.3
60～69	1742	481	27.6	65	3.7	526	30.2	66	3.8	5	0.3	309	17.7	290	16.6
70～79	353	109	30.9	3	0.8	99	28.0	11	3.1	0	0.0	44	12.5	87	24.6
80歳～	21	11	52.4	0	0.0	2	9.5	1	4.8	0	0.0	2	9.5	5	23.8
合計	14009	5611	40.1	599	4.3	5397	38.5	272	1.9	200	1.4	1299	9.3	631	4.5

表7 選別聴力検査

区分	受診者数	正常		軽度の変化		経過観察		再検査		精密検査		治療		治療継続	
		数	%	数	%	数	%	数	%	数	%	数	%	数	%
15歳～19	38	38	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20～29	1045	1037	99.2	0	0.0	6	0.6	0	0.0	0	0.0	2	0.2	0	0.0
30～39	2123	2079	97.9	0	0.0	33	1.6	0	0.0	0	0.0	9	0.4	2	0.1
40～49	3131	2942	94.0	0	0.0	144	4.6	0	0.0	0	0.0	45	1.4	0	0.0
50～59	2859	2392	83.7	0	0.0	357	12.5	0	0.0	0	0.0	109	3.8	1	0.0
60～69	1430	922	64.5	4	0.3	357	25.0	0	0.0	0	0.0	146	10.2	1	0.1
70～79	258	115	44.6	1	0.4	90	34.9	0	0.0	0	0.0	52	20.2	0	0.0
80歳～	4	0	0.0	0	0.0	2	50.0	0	0.0	0	0.0	2	50.0	0	0.0
合計	10888	9525	87.5	5	0.0	989	9.1	0	0.0	0	0.0	365	3.4	4	0.0

女

区分	受診者数	正常		軽度の変化		経過観察		再検査		精密検査		治療		治療継続	
		数	%	数	%	数	%	数	%	数	%	数	%	数	%
15歳～19	53	53	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20～29	1263	1248	98.8	0	0.0	13	1.0	0	0.0	0	0.0	1	0.1	1	0.1
30～39	2629	2588	98.4	0	0.0	37	1.4	0	0.0	0	0.0	4	0.2	0	0.0
40～49	3852	3750	97.4	0	0.0	86	2.2	0	0.0	0	0.0	16	0.4	0	0.0
50～59	2356	2201	93.4	0	0.0	130	5.5	0	0.0	0	0.0	23	1.0	2	0.1
60～69	1094	875	80.0	3	0.3	169	15.4	0	0.0	0	0.0	46	4.2	1	0.1
70～79	140	85	60.7	0	0.0	42	30.0	0	0.0	0	0.0	13	9.3	0	0.0
80歳～	0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
合計	11387	10800	94.8	3	0.0	477	4.2	0	0.0	0	0.0	103	0.9	4	0.0

表8 心電図検査結果

区分	受診者数	正常		軽度の変化		経過観察		再検査		精密検査		治療		治療継続	
		数	%	数	%	数	%	数	%	数	%	数	%	数	%
15歳～19	20	20	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20～29	737	679	92.1	46	6.2	12	1.6	0	0.0	0	0.0	0	0.0	0	0.0
30～39	1908	1731	90.7	131	6.9	45	2.4	0	0.0	0	0.0	0	0.0	1	0.1
40～49	3183	2882	90.5	175	5.5	117	3.7	0	0.0	0	0.0	3	0.1	6	0.2
50～59	2927	2564	87.6	165	5.6	167	5.7	0	0.0	0	0.0	5	0.2	26	0.9
60～69	1474	1229	83.4	90	6.1	124	8.4	0	0.0	0	0.0	7	0.5	24	1.6
70～79	273	212	77.7	18	6.6	34	12.5	0	0.0	0	0.0	0	0.0	9	3.3
80歳～	5	3	60.0	1	20.0	1	20.0	0	0.0	0	0.0	0	0.0	0	0.0
合計	10527	9320	88.5	626	5.9	500	4.7	0	0.0	0	0.0	15	0.1	66	0.6

女

区分	受診者数	正常		軽度の変化		経過観察		再検査		精密検査		治療		治療継続	
		数	%	数	%	数	%	数	%	数	%	数	%	数	%
15歳～19	29	28	96.6	0	0.0	1	3.4	0	0.0	0	0.0	0	0.0	0	0.0
20～29	769	733	95.3	28	3.6	8	1.0	0	0.0	0	0.0	0	0.0	0	0.0
30～39	2534	2400	94.7	95	3.7	39	1.5	0	0.0	0	0.0	0	0.0	0	0.0
40～49	4348	3237	74.4	146	3.4	87	2.0	0	0.0	1	0.0	0	0.0	1	0.0
50～59	2708	2525	93.2	91	3.4	89	3.3	0	0.0	1	0.0	0	0.0	2	0.1
60～69	1257	1134	90.2	41	3.3	74	5.9	0	0.0	0	0.0	3	0.2	5	0.4
70～79	170	150	88.2	7	4.1	11	6.5	0	0.0	0	0.0	1	0.6	1	0.6
80歳～	0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
合計	11815	10207	86.4	408	3.5	309	2.6	0	0.0	2	0.0	4	0.0	9	0.1

表9 眼底検査結果

区分	受診者数	正常		軽度の変化		経過観察		再検査		精密検査		治療		治療継続	
		数	%	数	%	数	%	数	%	数	%	数	%	数	%
15歳～19	0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20～29	16	16	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
30～39	697	681	97.7	0	0.0	5	0.7	0	0.0	0	0.0	10	1.4	1	0.1
40～49	2356	2219	94.2	0	0.0	90	3.8	0	0.0	1	0.0	32	1.4	14	0.6
50～59	2470	2172	87.9	0	0.0	178	7.2	0	0.0	0	0.0	80	3.2	40	1.6
60～69	1004	858	85.5	0	0.0	93	9.3	0	0.0	0	0.0	27	2.7	26	2.6
70～79	159	137	86.2	0	0.0	15	9.4	0	0.0	0	0.0	2	1.3	5	3.1
80歳～	5	3	60.0	0	0.0	1	20.0	0	0.0	0	0.0	1	20.0	0	0.0
合計	6707	6086	90.7	0	0.0	382	5.7	0	0.0	1	0.0	152	2.3	86	1.3

女

区分	受診者数	正常		軽度の変化		経過観察		再検査		精密検査		治療		治療継続	
		数	%	数	%	数	%	数	%	数	%	数	%	数	%
15歳～19	0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20～29	26	26	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
30～39	669	663	99.1	0	0.0	2	0.3	0	0.0	0	0.0	4	0.6	0	0.0
40～49	1819	1769	97.3	0	0.0	25	1.4	0	0.0	0	0.0	12	0.7	13	0.7
50～59	1301	1218	93.6	0	0.0	34	2.6	0	0.0	0	0.0	30	2.3	19	1.5
60～69	512	458	89.5	0	0.0	29	5.7	0	0.0	0	0.0	13	2.5	12	2.3
70～79	68	57	83.8	0	0.0	8	11.8	0	0.0	0	0.0	1	1.5	2	2.9
80歳～	0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
合計	4395	4191	95.4	0	0.0	98	2.2	0	0.0	0	0.0	60	1.4	46	1.0

表10 糖代謝検査結果

区分	受診者数	正常		軽度の変化		経過観察		再検査		精密検査		治療		治療継続	
		数	%	数	%	数	%	数	%	数	%	数	%	数	%
15歳～19	38	38	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20～29	1221	1207	98.9	0	0.0	14	1.1	0	0.0	0	0.0	0	0.0	0	0.0
30～39	2161	2120	98.1	0	0.0	41	1.9	0	0.0	0	0.0	0	0.0	0	0.0
40～49	3111	2996	96.3	0	0.0	115	3.7	0	0.0	0	0.0	0	0.0	0	0.0
50～59	2538	2406	94.8	0	0.0	132	5.2	0	0.0	0	0.0	0	0.0	0	0.0
60～69	1590	1475	92.8	0	0.0	115	7.2	0	0.0	0	0.0	0	0.0	0	0.0
70～79	414	370	89.4	0	0.0	43	10.4	0	0.0	0	0.0	0	0.0	1	0.2
80歳～	28	23	82.1	5	17.9	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
合計	11101	10635	95.8	5	0.0	460	4.1	0	0.0	0	0.0	0	0.0	1	0.0

女

区分	受診者数	正常		軽度の変化		経過観察		再検査		精密検査		治療		治療継続	
		数	%	数	%	数	%	数	%	数	%	数	%	数	%
15歳～19	64	64	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20～29	1562	1558	99.7	0	0.0	4	0.3	0	0.0	0	0.0	0	0.0	0	0.0
30～39	2837	2830	99.8	0	0.0	7	0.2	0	0.0	0	0.0	0	0.0	0	0.0
40～49	4416	4375	99.1	0	0.0	41	0.9	0	0.0	0	0.0	0	0.0	0	0.0
50～59	2699	2629	97.4	0	0.0	70	2.6	0	0.0	0	0.0	0	0.0	0	0.0
60～69	1489	1383	92.9	0	0.0	106	7.1	0	0.0	0	0.0	0	0.0	0	0.0
70～79	326	278	85.3	0	0.0	48	14.7	0	0.0	0	0.0	0	0.0	0	0.0
80歳～	21	15	71.4	0	0.0	6	28.6	0	0.0	0	0.0	0	0.0	0	0.0
合計	13414	13132	97.9	0	0.0	282	2.1	0	0.0	0	0.0	0	0.0	0	0.0

表11 胸部X線検査結果(循環器)

区分	受診者数	正常		軽度の変化		経過観察		再検査		精密検査		治療		治療継続	
		数	%	数	%	数	%	数	%	数	%	数	%	数	%
		15歳～19	38	38	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20～29	1224	1214	99.2	4	0.3	5	0.4	0	0.0	0	0.0	1	0.1	0	0.0
30～39	2162	2103	97.3	8	0.4	44	2.0	4	0.2	2	0.1	1	0.0	0	0.0
40～49	3111	2938	94.4	17	0.5	144	4.6	6	0.2	4	0.1	1	1.0	1	0.0
50～59	2538	2270	89.4	14	0.6	241	9.5	4	0.2	4	3.0	3	0.1	2	0.1
60～69	1590	1328	83.5	20	1.3	235	14.8	5	0.3	2	0.1	0	0.0	0	0.0
70～79	415	309	74.5	4	1.0	100	24.1	2	0.5	0	0.0	0	0.0	0	0.0
80歳～	28	17	60.7	0	0.0	10	35.7	0	0.0	1	3.6	0	0.0	0	0.0
合計	11106	10217	92.0	67	0.6	779	7.0	21	0.2	13	0.1	6	0.1	3	0.0

区分	受診者数	正常		軽度の変化		経過観察		再検査		精密検査		治療		治療継続	
		数	%	数	%	数	%	数	%	数	%	数	%	数	%
		15歳～19	64	64	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20～29	1563	1556	99.6	1	0.1	4	0.3	0	0.0	2	0.1	0	0.0	0	0.0
30～39	2838	2796	98.5	13	0.5	23	0.8	4	0.1	2	0.1	0	0.0	0	0.0
40～49	4417	4275	96.8	24	0.5	106	2.4	6	0.1	4	0.1	0	0.0	2	0.0
50～59	2699	2472	91.6	28	1.0	187	6.9	6	0.2	5	0.2	0	0.0	1	0.0
60～69	1489	1261	84.7	16	1.1	199	13.4	4	0.3	6	0.4	3	0.2	0	0.0
70～79	326	264	81.0	0	0.0	60	18.4	0	0.0	2	0.6	0	0.0	0	0.0
80歳～	21	17	81.0	0	0.0	4	19.0	0	0.0	0	0.0	0	0.0	0	0.0
合計	13417	12705	94.7	82	0.6	583	4.3	20	0.1	21	0.2	3	0.0	3	0.0

表12 胸部X線検査結果(呼吸器)

区分	受診者数	正常		軽度の変化		経過観察		再検査		精密検査		治療		治療継続	
		数	%	数	%	数	%	数	%	数	%	数	%	数	%
		15歳～19	61	61	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20～29	1381	1360	98.5	7	0.5	11	0.8	3	0.2	0	0.0	0	0.0	0	0.0
30～39	2431	2350	96.7	12	0.5	64	2.6	4	0.2	0	0.0	1	0.0	0	0.0
40～49	3077	2868	93.2	10	0.3	191	6.2	4	0.1	0	0.0	4	0.1	0	0.0
50～59	2867	2522	88.0	16	0.6	312	10.9	10	0.3	1	0.0	5	0.2	1	0.0
60～69	1614	1270	78.7	6	0.4	328	20.3	6	0.4	0	0.0	4	0.2	0	0.0
70～79	395	293	74.2	0	0.0	100	25.3	1	0.3	0	0.0	0	0.0	1	0.3
80歳～	24	10	41.7	0	0.0	12	50.0	1	4.2	0	0.0	1	4.2	0	0.0
合計	11850	10734	90.6	51	0.4	1018	8.6	29	0.2	1	0.0	15	0.1	2	0.0

区分	受診者数	正常		軽度の変化		経過観察		再検査		精密検査		治療		治療継続	
		数	%	数	%	数	%	数	%	数	%	数	%	数	%
		15歳～19	49	49	100.0	49	100.0	0	0.0	0	0.0	0	0.0	0	0.0
20～29	1532	1521	99.3	1521	99.3	3	0.2	6	0.4	2	0.1	0	0.0	0	0.0
30～39	2898	2836	97.9	2836	97.9	15	0.5	42	1.4	1	0.0	3	0.1	0	0.0
40～49	3762	3617	96.1	3617	96.1	16	0.4	120	3.2	4	0.1	2	0.1	1	0.0
50～59	2448	2201	89.9	2201	89.9	19	0.8	220	9.0	5	0.2	3	0.1	0	0.0
60～69	1362	1127	82.7	1127	82.7	13	1.0	211	15.5	3	0.2	5	0.4	1	0.1
70～79	254	190	74.8	190	74.8	1	0.4	61	24.0	1	0.4	1	0.4	0	0.0
80歳～	17	7	41.2	7	41.2	0	0.0	10	58.8	0	0.0	0	0.0	0	0.0
合計	12322	11548	93.7	11548	93.7	67	0.5	670	5.4	16	0.1	14	0.1	2	0.0